



HIGHLY ADSORBENT CELL WALLS

Extraferm® D'tox adsorbs and eliminates many toxic and undesirable compounds present in must and/or wine. **Extraferm D'tox** promotes smooth alcoholic and malolactic fermentation by eliminating medium chain fatty acids, which are known to inhibit yeast and lactic acid bacteria. **Extraferm D'tox** can also bind and eliminate over 50% of undesirable molecules such as ochratoxin A (OTA), unpleasant aroma molecules such as anisoles (TCA, TeCA, TBA, and PCA), and dibutyl phthalate.

PROPERTIES

- Improves fermentation conditions by eliminating fatty acids, which are toxic to yeast and bacteria.
- Improves the yeast's alcohol tolerance and viability.
- Improves the wine's analytical properties.
- Restores the wine's organoleptic profile.

Extraferm D'tox cell walls easily form a sediment, which enables fast and efficient racking after **Extraferm D'tox** has been added.

COMPOSITION

- 100% yeast cell walls

DOSAGE & INSTRUCTIONS FOR USE

- Suspend **Extraferm D'tox** by mixing it with 10 times its weight in water.
- Homogenise the treated must or wine with a pumpover.
- EU Regulation 606/2009 sets an upper usage limit of 40 g/hL. For other countries, please refer to current legislation.

Preventative treatment for must fermentation

- Dosage: 20 g/hL
- Add **Extraferm D'tox** before inoculation.

For sluggish fermentation


- Dosage: 30-40 g/hL

For stuck fermentation

- Dosage: 40 g/hL

Incorporate **Extraferm D'tox** into the wine to adsorb the inhibiting fatty acids then re-yeast with Fermivin® Champion Booster, a fruit-loving yeast suitable for restarting alcoholic fermentations in difficult conditions.

A detailed protocol is available upon request.



Detoxification ability of **Extraferm D'tox** cell walls used at a rate of 2 x 20 g/hL.

For wine contaminated with ochratoxin A, anisoles, or dibutyl phthalate

- Dosage: 20-40 g/hL
- Incorporate **Extraferm D'tox**, avoiding oxidation of the wine.
- Taste and analyse the wine after 24 hours of contact. Repeat the treatment if necessary.

For best results, repeat the treatment twice in succession.

PACKAGING & STORAGE

Extraferm D'tox cell walls are packaged in the following packaging:

- 1 Kg airtight multi-layer laminated bags.
- 10 Kg individual aluminum bags packed in a box.
- The packaging has been rigorously selected to avoid contaminating the product during transportation and storage before use.
- Store **Extraferm D'tox** in a cool, dry place (5-15 °C - 41-60 °F).



Oenobrand's products are made from yeast derivatives selected and dried using exclusive technology. This ensures their great ability to disperse quickly and without forming lumps.



Extraferm D'tox yeast cell walls are distinguished by their very high adsorption capacity while respecting the organoleptic and taste qualities of the treated wines. This is explained by the exclusive "HALO" (High Adsorption Low Odor) process used for their production. This unique treatment confers a high specificity of these peels with respect to undesirable contaminants, without affecting the aromas and the color of the treated wine.

Special care has been taken to ensure that the information provided here is accurate. Since the specific conditions in which users apply and use our products are beyond our control, we do not guarantee the results that users will obtain. Users are solely responsible for determining the appropriateness and establishing the legal status of use.

OENOBRANDS SAS

Parc Agropolis II - Bât 5
2196 Boulevard de la Lironde
CS 34603 - 34397 Montpellier Cedex 5 - FRANCE
RCS Montpellier - SIREN 521 285 304
info@oenobrand.com
www.oenobrand.com

DISTRIBUTED BY :